

## EAST Search History

| Ref # | Hits    | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|---------|---|--|------------------|---------|------------------|
| S59   | 85      | "717"/\$.ccls. ((scanner or copier or fax\$4 or multi\$1function\$4) same printer) ((lisenc\$4 or licenc\$4 or load\$4 or configur\$6 or compatible or compatibilit\$4 or rule or policy or operate\$2 or operating) near2 table)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND              | ON      | 2007/06/11 06:30 |
| S58   | 6       | "717"/\$.ccls. ((scanner or copier or fax\$4) same printer) ((lisenc\$4 or licenc\$4 or load\$4 or configur\$6 or compatible or compatibilit\$4 or rule or policy or operate\$2 or operating) adj2 table) (multi\$1function\$4 or mfd or mfp)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND              | ON      | 2007/06/11 06:29 |
| S56   | 25      | "717"/\$.ccls. ((scanner or copier or fax\$4) same printer) ((lisenc\$4 or licenc\$4 or load\$4 or configur\$6 or compatible or compatibilit\$4 or rule or policy or operate\$2 or operating) adj2 table) table.clm.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND              | ON      | 2007/06/11 06:27 |
| S55   | 53      | "717"/\$.ccls. ((scanner or copier or fax\$4) same printer) ((lisenc\$4 or licenc\$4 or load\$4 or configur\$6 or compatible or compatibilit\$4 or rule or policy or operate\$2 or operating) adj2 table)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND              | ON      | 2007/06/11 06:26 |
| S54   | 700     | "717"/\$.ccls. ((scanner or copier or fax\$4) same printer) table   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND              | ON      | 2007/06/11 06:24 |
| S1    | 1313525 | ((multi or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND              | ON      | 2007/06/11 06:22 |
| S52   | 32      | ((mfd or mfp or multi\$1function\$4) same printer same (copier or fax\$4 or scanner)) (table near3 (load\$4 or lisenc\$4 or licenc\$4 or configur\$4 or compatible or compatibilit\$4 or rul\$4 or policy)) ((load\$4 or operate\$2 or operati\$4 or install\$6 or up\$1load\$4) with (memory or volatile or non\$1volatile or ram or work\$1space)) @ay<"2003" | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND              | ON      | 2007/06/10 12:48 |
| S51   | 83      | ((mfd or mfp or multi\$1function\$4) same printer same (copier or fax\$4 or scanner)) (table near3 (load\$4 or lisenc\$4 or licenc\$4 or configur\$4 or compatible or compatibilit\$4 or rul\$4 or policy)) ((load\$4 or operate\$2 or operati\$4 or install\$6 or up\$1load\$4) with (memory or volatile or non\$1volatile or ram or work\$1space))            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND              | ON      | 2007/06/10 12:48 |
| S50   | 101     | ((mfd or mfp or multi\$1function\$4) same printer same (copier or fax\$4 or scanner)) (table near3 (load\$4 or lisenc\$4 or licenc\$4 or configur\$4 or compatible or compatibilit\$4 or rul\$4 or policy)) ((load\$4 or operate\$2 or operati\$4 or install\$6 or up\$1load\$4) same (memory or volatile or non\$1volatile or ram or work\$1space))            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND              | ON      | 2007/06/10 12:47 |
| S48   | 18      | ((mfd or mfp or multi\$1function\$4) same printer same (copier or fax\$4 or scanner)) (table near3 (load\$4 or lisenc\$4 or licenc\$4 or configur\$4 or compatible or compatibilit\$4 or rul\$4 or policy)) table.clm. @ay<"2003"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND              | ON      | 2007/06/10 12:43 |

## EAST Search History

|     |       |  |  |     |    |                  |
|-----|-------|--|--|-----|----|------------------|
| S46 | 59    | ((mfd or mfp or multi\$1function\$4) same printer same (copier or fax\$4 or scanner)) (table near3 (load\$4 or lisenc\$4 or licenc\$4 or configur\$4 or compatible or compatibili\$4 or rul\$4 or policy)) table.clm.                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/10 12:35 |
| S44 | 52    | ((mfd or mfp or multi\$1function\$4) same printer same (copier or fax\$4 or scanner)) (table near3 (load\$4 or lisenc\$4 or licenc\$4 or configur\$4 or compatible or compatibili\$4)) table.clm.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/10 12:34 |
| S42 | 120   | ((mfd or mfp or multi\$1function\$4) same printer same (copier or fax\$4 or scanner)) (table near3 (load\$4 or lisenc\$4 or licenc\$4 or configur\$4 or compatible or compatibili\$4))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/10 12:33 |
| S40 | 10509 | ((mfd or mfp or multi\$1function\$4) same printer) table   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/10 12:27 |
| S38 | 32    | ((lisenc\$4 or licenc\$4 or look\$6 or load\$4 or configur\$6) near3 table) (((multi or multi\$1function\$4) adj (device or peripheral))) table.clm. (print\$4 same (fax\$4 or scan\$6 or cop\$4)) (table same (load\$4 or operat\$4)) @ay<"2003"    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND | ON | 2007/06/04 17:38 |
| S37 | 78    | ((lisenc\$4 or licenc\$4 or look\$6 or load\$4 or configur\$6) near3 table) (((multi or multi\$1function\$4) adj (device or peripheral))) table.clm. (print\$4 same (fax\$4 or scan\$6 or cop\$4)) (table same (load\$4 or operat\$4))               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND | ON | 2007/06/04 17:28 |
| S36 | 87    | ((lisenc\$4 or licenc\$4 or look\$6 or load\$4 or configur\$6) near3 table) (((multi or multi\$1function\$4) adj (device or peripheral))) table.clm. (print\$4 same (fax\$4 or scan\$6 or cop\$4)) (table same (install\$6 or load\$4 or operat\$4)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND | ON | 2007/06/04 17:28 |
| S35 | 126   | ((lisenc\$4 or licenc\$4 or look\$6 or load\$4 or configur\$6) near3 table) (((multi or multi\$1function\$4) adj (device or peripheral))) table.clm. (print\$4 same (fax\$4 or scan\$6 or cop\$4))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND | ON | 2007/06/04 17:27 |
| S34 | 185   | ((lisenc\$4 or licenc\$4 or look\$6 or load\$4 or configur\$6) near3 table) (((multi or multi\$1function\$4) adj (device or peripheral))) table.clm.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND | ON | 2007/06/04 17:25 |
| S33 | 25    | ((star\$1up\$4 or boot\$4) same table) (((multi or multi\$1function\$4) adj (device or peripheral))) ((compatib\$8 or lisenc\$4 or licenc\$4 or look\$6) near3 table)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | AND | ON | 2007/06/04 17:23 |

## EAST Search History

|     |       |  |   |     |    |                  |
|-----|-------|--|---|-----|----|------------------|
| S32 | 29    | ((star\$1up\$4 or boot\$4) same table) (((multi or multi\$1function\$4) adj (device or peripheral))) ((compatib\$8 or lisenc\$4 or licenc\$4 or load\$4 or look\$6) adj2 table)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/04 17:22 |
| S31 | 644   | ((star\$1up\$4 or boot\$4) same table) (((multi or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp) ((compatib\$8 or lisenc\$4 or licenc\$4 or load\$4 or look\$6) adj2 table)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/04 17:09 |
| S30 | 2224  | ((star\$1up\$4 or boot\$4) same table) (((multi or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/04 17:07 |
| S29 | 12699 | (star\$1up\$4 or boot\$4) (((multi or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp) table  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/04 17:07 |
| S28 | 46    | (install\$6 or updat\$4 or upgrad\$4).clm. ((table) near2 (load\$4 or install\$4 or updat\$4 or upgrad\$4 or compatib\$8 or version\$4)) (((multi or multi\$1function\$4) adj2 (device or peripheral)) or mfd or mfp) same (install\$6 or updat\$4 or upgrad\$4)) (table with (driven or based or associat\$4 or correspond\$4)) @ay<"2002" @ay>"1999"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/03 13:33 |
| S26 | 204   | (install\$6 or updat\$4 or upgrad\$4).clm. ((table) near2 (load\$4 or install\$4 or updat\$4 or upgrad\$4 or compatib\$8 or version\$4)) (((multi or multi\$1function\$4) adj2 (device or peripheral)) or mfd or mfp) same (install\$6 or updat\$4 or upgrad\$4)) (table with (driven or based or associat\$4 or correspond\$4))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/03 13:32 |
| S25 | 298   | (install\$6 or updat\$4 or upgrad\$4).clm. ((table) near2 (load\$4 or install\$4 or updat\$4 or upgrad\$4 or compatib\$8 or version\$4)) (((multi or multi\$1function\$4) adj2 (device or peripheral)) or mfd or mfp) same (install\$6 or updat\$4 or upgrad\$4))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/03 13:31 |
| S24 | 454   | ((list or table) near2 (load\$4 or install\$4 or updat\$4 or upgrad\$4 or compatib\$8 or version\$4)) (((multi or multi\$1function\$4) adj2 (device or peripheral)) or mfd or mfp) same (install\$6 or updat\$4 or upgrad\$4)) (install\$6 or updat\$4 or upgrad\$4).clm.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/03 13:30 |
| S23 | 2161  | ((list or table) near2 (load\$4 or install\$4 or updat\$4 or upgrad\$4 or compatib\$8 or version\$4)) (((multi or multi\$1function\$4) adj2 (device or peripheral)) or mfd or mfp) (install\$6 or updat\$4 or upgrad\$4).clm.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/03 13:28 |
| S22 | 10100 | ((list or table) near2 (load\$4 or install\$4 or updat\$4 or upgrad\$4 or compatib\$8 or version\$4)) (((multi or multi\$1function\$4) adj2 (device or peripheral)) or mfd or mfp)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/06/03 13:28 |
| S21 | 46    | (table with (install\$6 or upgrad\$4 or updat\$4)) (multi\$1function\$4 or (multi adj funtion\$4) or mfd or mfp) (printer same (copier or scanner or fax\$9)) (table near8 (based or compare\$3 or compari\$6)) ((install\$6 or upgrad\$4 or updat\$4) near8 (firm\$1ware or driver or module or block or component)) (table with (compatib\$8 or configur\$4)) (install\$6 or upgrad\$4 or updat\$4).clm. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 19:24 |

## EAST Search History

|     |      |  |   |     |    |                  |
|-----|------|--|---|-----|----|------------------|
| S20 | 160  | (table with (install\$6 or upgrad\$4 or updat\$4))<br>(multi\$1function\$4 or (multi adj funtion\$4) or mfd or mfp)<br>(printer same (copier or scanner or fax\$9)) (table near8 (based or compare\$3 or compari\$6)) ((install\$6 or upgrad\$4 or updat\$4) near8 (firm\$1ware or driver or module or block or component)) (table with (compatib\$8 or configur\$4))                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 19:23 |
| S19 | 253  | (table with (install\$6 or upgrad\$4 or updat\$4))<br>(multi\$1function\$4 or (multi adj funtion\$4) or mfd or mfp)<br>(printer same (copier or scanner or fax\$9)) (table near8 (based or compare\$3 or compari\$6)) ((install\$6 or upgrad\$4 or updat\$4) near8 (firm\$1ware or driver or module or block or component)) (table with (firm\$1ware or driver or module or block or component)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 19:22 |
| S18 | 293  | (table with (install\$6 or upgrad\$4 or updat\$4))<br>(multi\$1function\$4 or (multi adj funtion\$4) or mfd or mfp)<br>(printer same (copier or scanner or fax\$9)) (table near8 (based or compare\$3 or compari\$6)) ((install\$6 or upgrad\$4 or updat\$4) near8 (firm\$1ware or driver or module or block or component))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 19:22 |
| S17 | 319  | (table with (install\$6 or upgrad\$4 or updat\$4))<br>(multi\$1function\$4 or (multi adj funtion\$4) or mfd or mfp)<br>(printer same (copier or scanner or fax\$9)) (table with (based or compare\$3 or compari\$6)) ((install\$6 or upgrad\$4 or updat\$4) near8 (firm\$1ware or driver or module or block or component))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 19:21 |
| S16 | 544  | (table with (install\$6 or upgrad\$4 or updat\$4))<br>(multi\$1function\$4 or (multi adj funtion\$4) or mfd or mfp)<br>(printer same (copier or scanner or fax\$9)) (table with (based or compare\$3 or compari\$6))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 19:19 |
| S15 | 981  | (table with (install\$6 or upgrad\$4 or updat\$4))<br>(multi\$1function\$4 or (multi adj funtion\$4) or mfd or mfp)<br>(printer same (copier or scanner or fax\$9))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 19:19 |
| S14 | 1510 | (table with (install\$6 or upgrad\$4 or updat\$4 or load\$4))<br>(multi\$1function\$4 or (multi adj funtion\$4) or mfd or mfp)<br>(printer same (copier or scanner or fax\$9))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 19:18 |
| S10 | 97   | ((((composite or (multi adj function\$4) or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp or m-f-d or m-f-p) (printer same (copier or scanner or fax\$9)) ((module or driver or firm\$1ware) near9 (load\$4 or install\$4 or upgrad\$4 or updat\$4)) ((module or driver or firm\$1ware) near8 (table)) (table with compatib\$6)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 19:03 |
| S9  | 356  | ((((composite or (multi adj function\$4) or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp or m-f-d or m-f-p) (printer same (copier or scanner or fax\$9)) ((module or driver or firm\$1ware) near9 (load\$4 or install\$4 or upgrad\$4 or updat\$4)) ((module or driver or firm\$1ware) near8 (table))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 19:01 |
| S8  | 2060 | ((((composite or (multi adj function\$4) or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp or m-f-d or m-f-p) (printer same (copier or scanner or fax\$9)) ((module or driver or firm\$1ware) near9 (load\$4 or install\$4 or upgrad\$4 or updat\$4))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 18:59 |
| S7  | 20   | ((((composite or (multi adj function\$4) or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp or m-f-d or m-f-p) (compatib\$8 near4 (table)) (printer same (copier or scanner or fax\$9)) ((compatib\$8 or table) near9 (load\$4 or install\$4 or upgrad\$4 or updat\$4))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 18:58 |

## EAST Search History

|    |      |   |   |     |    |                  |
|----|------|---|---|-----|----|------------------|
| S5 | 20   | (((((multi adj function\$4) or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp or m-f-d or m-f-p) (compatib\$8 near4 (table)) (printer same (copier or scanner or fax\$4)) ((compatib\$8 or table) near9 (load\$4 or install\$4 or upgrad\$4 or updat\$4)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 18:42 |
| S4 | 41   | (((((multi adj function\$4) or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp) (compatib\$8 near4 (table)) (printer same (copier or scanner or fax\$4))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 14:42 |
| S3 | 664  | (((((multi adj function\$4) or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp) (compatib\$8 near4 (table))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 14:39 |
| S2 | 1942 | (((((multi adj function\$4) or multi\$1function\$4) adj (device or peripheral)) or mfd or mfp) (compatib\$8 near9 (list\$4 or table))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/05/30 14:39 |